Accessibility Remediation Report

- **Original document:** autorizacao-info-paciente.pdf (1 pages)
- **Remediated file:** accessible.pdf
- **Document title:** Release of Patient Information Authorization Form – New Philadelphia City Health Department
- **Date:** 2026-11-04
- **Target:** WCAG 2.1 Level AA and PDF/UA-1 (ISO 14289-1)
- **Method:** The original file and its layout were kept. The tag tree was completed in place: form fields placed next to their labels in reading order, meaningful header and footer content tagged, headings, bookmarks, title, language and field descriptions corrected.

Automated checks

Check	Before	After
Real text on every page (no image-only pages)	Pass	Pass
Tagged PDF (structure tree and MarkInfo)	Pass	Pass
Document title set and displayed	Fail	Pass
Document language set	Pass	Pass
Headings (H1–H6) in the structure	Pass	Pass
All figures have alternative text	N/A	Pass
Tables have header cells	N/A	N/A
Form fields have descriptions	Fail	Pass
Tab order follows structure on pages with links or fields	Pass	Pass
Fonts embedded	Pass	Pass
PDF/UA-1 identifier	Fail	Pass
Bookmarks in documents longer than 4 pages	N/A	N/A

Verification

Test	Tool	Result
PDF/UA-1 machine-checkable requirements	PAC 2026 (26.1.0.0), axes4	Passed, 0 errors (report: PAC2026-PDFUA-report.pdf)
WCAG 2.2 requirements checked by PAC	PAC 2026 (26.1.0.0), axes4	Passed, 0 errors (report: PAC2026-WCAG-report.pdf)

Test	Tool	Result
Quality checks	PAC 2026 (26.1.0.0), axes4	No quality issues
PDF/UA and WCAG	PAC 2024 (24.4.4.0), axes4	Passed
Reading order and semantics, simulated from the tags (headings, lists, table headers, alternative text, links, form fields)	pdfa11y	100.0% of the original words are read, 100.0% in the intended order
Screen reader test: opened in Adobe Acrobat Reader with NVDA running; NVDA's speech output recorded and checked (continuous reading, quick navigation, Tab through the form fields)	NVDA 2026.3 with Adobe Acrobat Reader (64-bit)	Passed: 100% of the original words read, 100% in the intended order; 1 of 1 headings announced with their level; 1 of 1 images read with their full alternative text; quick navigation reached every heading, image; Tab reached 25 of 25 form fields in order (23 announced with their label; Acrobat announces the 2 signature fields as "unsigned signature field, required" without reading their description) (transcript: nvda-speech-log.txt)
Color contrast (WCAG 1.4.3)	Original file	Original colors kept (dark text on white)

Items still for a person to confirm: the alternative text against each image.

Statement

Remediated with an AI-assisted workflow. Every word of the original is compared automatically against the output, and the file was checked with the tools listed above. This report describes the tests performed on this file. It is not a legal opinion or a certification of compliance with the ADA, Section 504 or any other law.

Reviewer: _____ Date: _____